

## **PROGRAMMING SYSTEM DCAMCUT STANDARD for SolidWorks**

**DCAMCUT STANDARD for SolidWorks** is a CAM solution from DCAM that can be fully integrated into the existing SolidWorks CAD environment.

This efficient software offers simple and fast programming options directly within the SolidWorks design environment. In addition to many other functions, complete technology databases are also available for all common machine brands.

## **MINIMUM SYSTEM REQUIREMENTS DCAMCUT PROFESSIONAL for SolidWorks**

- Current Intel or AMD processor with SSE2 support
- 64-bit operating system recommended
- Microsoft Windows 10 Professional / 64 Bit
  - With CAD SolidWorks 2022 Microsoft Windows 10, 11/ 64 Bit
- 16 GB system memory (RAM)
- 30 GB hard disk space
- graphic card: <https://www.solidworks.com/support/system-requirements>
- USB interface and/or broadband Internet connection

We would like to remind you that a valid maintenance contract gives an opportunity to get the latest updates, new product versions and our hotline support services.



**DCAM**  
A Tebis Company

**DCAM GmbH**

Potsdamer Str. 12 B

14513 Teltow

Tel: +49 30 5900 957 1501

Mail: [info@dcam.de](mailto:info@dcam.de)

## **FUNCTIONAL SCOPE DCAMCUT STANDARD for SolidWorks**

**The DCAMCUT PROFESSIONAL for SolidWorks package offers the following services:**

### **2D Contour Generation**

2D contour definition based on CAD-sketches

### **2-level Contour Generation**

Controlled surface machining via existing upper and lower contour and synchronization lines (sketches)

### **2-Axis pocketing**

Standard 2-axis pocketing

### **Standard Simulation**

Standard simulation incl. offset surface calculation & visualization for all interfaces

### **Solid Simulation**

Solid simulation for 3D visualization incl. separation check & removability-analysis

### **Parametrics**

Associativity of existing EDM-jobs into model changing (automatic recalculation on volume models, surface models and sketches)

### **4-Axis Contour Definition**

4-axis contour generation on volume & surface models



## SERIAL FUNCTIONS DCAMCUT STANDARD for SolidWorks

- Global corner rounding
- Automatic gap closing in CAD-data
- Controlled synchronization on 2-level models
- Contour duplication with attached EDM technology
- Implementation of different approach/retraction strategies
- Simple programming of contour multiple connections
- Integrated finish-cut module with freely definable skim-cut strategies
- Free positioning between contours (via action-points) with and without wire
- Punctual manipulation of single contour elements (offset change, conic change, machine-specific commands)
- Automatic classification of the start points through the contour via drawn boreholes
- Multiple definition of boreholes
- Forced perpendicular approach/retraction
- Multiple definition of action points
- Cut off function after skim-cuts
- Overcut with full technology
- Shortened approach for skim-cuts
- Skim-cuts offset
- NC Data output with unicode-characters
- Adaption of local coordinate systems
- Filter for contour selection
- Contour & NC program code information while solid simulation

